










CHECKED BY:
DATE:

CASTLE ROCK SPECIFIC LANDSCAPE NOTES:

1. FINAL LANDSCAPE AREA, COVERAGE AND PLANT QUANTITIES, SHALL MEET OR EXCEED QUANTITIES REPRESENTED IN THIS DRAWING AND SHALL CONFORM TO SUBSEQUENT SUBMITTAL REQUIREMENTS.
2. LOCATION OF PLANT MATERIALS ARE APPROXIMATED AND MAY CHANGE SLIGHTLY DUE TO UNFORESEEN FIELD CONSTRAINTS.
3. ALL PLANTS ARE TO BE PROPERLY HYDROZONED PER TOWN OF CASTLE ROCK PLANT LIST.
4. DISTANCE OF TREES TO WET UTILITY LINES SHOULD BE A MINIMUM OF 10 FEET.
5. PERMANENT IRRIGATION IS REQUIRED FOR ALL LANDSCAPED AREAS GREATER THAN 500 SQUARE FEET, PER SECTION 4.2.3 OF THE LANDSCAPE AND IRRIGATION MANUAL.
6. DESIGN MUST ACCOMMODATE THE WATERING RESTRICTIONS AS OUTLINED IN THE TOWN OF CASTLE ROCK WATER USE MANAGEMENT PLAN (WUMP).
7. IRRIGATION SYSTEMS ARE TO BE DESIGNED TO OPERATE WITHIN THE TOWN OF CASTLE ROCK WATER USE MANAGEMENT PLAN.
8. IRRIGATION SYSTEMS ARE TO BE DESIGNED PER THE TOWN OF CASTLE ROCK LANDSCAPE AND IRRIGATION REGULATIONS SECTION 4.2.3 AND TO CORRELATE WITH THE USE TYPE ON THE PROPERTY.
9. IF ANY TRANSFORMERS, GROUND-MOUNTED HVAC UNITS, UTILITY PEDESTALS, OR SIMILAR FEATURES EXISTING ON SITE, BUT NOT SHOWN ON THE SITE DEVELOPMENT PLAN, ADDITIONAL LANDSCAPING AND SCREENING MAY BE REQUIRED BASED UPON FIELD CONDITIONS DETERMINED DURING THE SITE INSPECTION. INSTALLATION WILL BE REQUIRED PRIOR TO THE FINAL INSPECTION AND THE ISSUANCE OF THE CERTIFICATE OF OCCUPANCY, AS APPLICABLE.
10. NO SOLID OBJECT EXCEEDING 30' IN HEIGHT ABOVE THE FLOWLINE ELEVATION OF THE ADJACENT STREET, INCLUDING, BUT NOT LIMITED TO BUILDING, UTILITY CABINETS, WALLS, FENCES, TREES, LANDSCAPE PLANTINGS, CUT SLOPES AND BERMS SHALL BE PLACED IN SIGHT DISTANCE TRIANGLES OR EASEMENTS AS SHOWN ON THE PLAN.
11. NO TREES, LARGE SHRUBS, OR PERMANENT STRUCTURES ARE ALLOWED IN WET UTILITY AND DRAINAGE EASEMENTS.
12. AN IRRIGATION PLAN IS REQUIRED WITH THE FIRST SUBMITTAL OF THE CONSTRUCTION DOCUMENTS. PLEASE SEE SECTIONS 3.1.2B AND 4.2.3 OF THE TOWN OF CASTLE ROCK LANDSCAPE AND IRRIGATION PERFORMANCE STANDARDS AND CRITERIA MANUAL FOR IRRIGATION SUBMITTAL AND DESIGN REQUIREMENTS. CHANGES TO THE LANDSCAPE PLAN MAY BE NECESSARY DUE TO CONSTRUCTION DOCUMENTS IRRIGATION PLAN REVIEW COMMENTS.
13. LANDSCAPE AND IRRIGATION SHALL BE INSTALLED BY A TOWN OF CASTLE ROCK REGISTERED LANDSCAPE CONTRACT PROFESSIONAL.
14. DEAD PLANT MATERIALS SHALL BE REMOVED AND REPLACED WITH HEALTHY PLANTING MATERIALS OF COMPARABLE SIZE AND SPECIES THAT MEET THE ORIGINAL INTENT OF THE APPROVED LANDSCAPE DESIGN WITHIN FORTY-FIVE (45) DAYS OR SOONER IN THE EVENT OF A CONTAGIOUS DISEASE OR INVASIVE INSECT SPECIES. TOWN OF CASTLE ROCK IS NOT RESPONSIBLE FOR PLANT REPLACEMENTS.
15. SLOPES STEEPER THAN 3:1 ARE NOT PERMITTED ON LANDSCAPE PLANS IN THE TOWN OF CASTLE ROCK.

GRADING NOTES

1. ALL AREAS SHALL BE GRADED TO ACHIEVE POSITIVE DRAINAGE. MINIMUM SLOPE ON LANDSCAPED AREAS SHALL BE 2% MAXIMUM SLOPE SHALL BE (3:1).
2. MAXIMUM ALLOWED FINAL GRADES FOR LONGITUDINAL SLOPE ON WALKS AND PAVED AREAS SHALL BE 5% UNLESS OTHERWISE INDICATED ON THE PLANS.
3. ALL SLOPES EQUAL TO 3:1 ARE TO BE CALLED OUT ON THE LANDSCAPE SHEETS

CONCEPTUAL IRRIGATION STANDARD NOTES:

1. ALL TURF AREAS 10' OR WIDER MAY BE IRRIGATED WITH OVERHEAD IRRIGATION
2. TREES ARE TO BE IRRIGATED USING SUBSURFACE DRIP EMITTERS
3. NATIVE SEED GRASSES THAT ARE IRRIGATED ARE TO USE ROTORS UNLESS OTHERWISE NOTED
4. TURF AREAS LESS THAN 10' IN WIDTH WILL BE IRRIGATED WITH SUBSURFACE DRIP IRRIGATION

SITE DEVELOPMENT PLAN
A PORTION OF LOT 1, SELLER'S LANDING
TO BE KNOWN AS : LOT 1, GREYSTONE VILLAS
LOCATED IN THE NORTHWEST ONE-QUARTER OF SECTION 13, TOWNSHIP 8 SOUTH, RANGE 67 WEST OF THE SIXTH PRINCIPAL MERIDIAN,
TOWN OF CASTLE ROCK, COUNTY OF DOUGLAS, STATE OF COLORADO



1101 Barnack Street
Denver, Colorado 80204
P: 303.962.1188
www.norris-design.com

GREYSTONE VILLAS
1101 S. GILBERT STREET
CASTLE ROCK, COLORADO

OWNER:
ADAMO HOMES

3194 INDUSTRIAL WAY
CASTLE ROCK, CO 80109
303-577-4860

LANDSCAPE
CERTIFICATION:
LOCAL LAW 2007-111, ALL SHALL BE OBTAINED
WITH THE SUBMITTAL OF THE LANDSCAPE
DESIGN. LANDSCAPE DESIGNER: COLORADO LICENSE
NUMBER 0018



NOT FOR
CONSTRUCTION

DATE:
3/13/20 SUBMITTAL
2/24/20 2ND SUBMITTAL
8/5/20 3RD SUBMITTAL
8/2/20 4TH SUBMITTAL

SHEET TITLE:
LANDSCAPE
NOTES

5
SHEET 5 OF 11



Unofficial Copy

SITE DEVELOPMENT PLAN

A PORTION OF LOT 1, SELLER'S LANDING

TO BE KNOWN AS : LOT 1, GREYSTONE VILLAS

LOCATED IN THE NORTHWEST ONE-QUARTER OF SECTION 13, TOWNSHIP 8 SOUTH, RANGE 67 WEST OF THE SIXTH PRINCIPAL MERIDIAN,
TOWN OF CASTLE ROCK, COUNTY OF DOUGLAS, STATE OF COLORADO

NORRIS DESIGN
1101 Bannock Street
Denver, Colorado 80204
P: 303.652.1188
www.norris-design.com

COMPOSITE LANDSCAPE WATER USE RATING CHART

LANDSCAPE ZONE	LWUR RATING RANGE
VERY LOW WATER USE	0.0 to 1.5
LOW WATER USE	+1.5 to 3.0
MODERATE WATER USE	+3.0 to 4.5
HIGH WATER USE	+4.5

NOTES: THE LWUR RATING RANGE IS BASED ON POST ESTABLISHMENT WATERING SCHEDULES.

IRRIGATION ZONE	PLANT NAME (COMMON)	APPLICATION RATE (INCHES/MONTH)		LANDSCAPE ZONE	% OF IRRIGATED AREA (TA)	IA (IRRIGATED AREA IN SQ.FT. FOR EACH ZONE)	LWUR (LANDSCAPE WATER USE RATING)	TOTAL AREA (TA)	CLWUR (LWUR X IA/TA)
SPRAY	IRRIGATED TURF (FESCUE TURF SEED MIX)	3.0	in./mo.	LOW	11%	531	3.0	4,860	0.33
DRIP	SHRUB BED	2.0	in./mo.	LOW	60%	2,923	2.0	4,860	1.2
SPRAY ROTORS	IRRIGATED NATIVE SEED	2.5	in./mo.	LOW	29%	1,406	2.5	4,860	0.72
TOTALS						100	4,860	4,860	2.25
							TOTAL OF THE CLWUR		2.25

LANDSCAPE SUMMARY TABLE

LANDSCAPE TYPE	SQUARE FOOTAGE	PERCENTAGE
IRRIGATED TURF	531	1.7%
IRRIGATED NATIVE SEED	1,406	4.4%
IRIPARIAN SEED MIX	1,069	3.4%
IRRIGATED BED	2,923	9.1%
COBBLE	1,006	3.1%
EXISTING NATIVE AREA TO REMAIN	25,051	78.3%
TOTAL AREA LANDSCAPE	32,006	100.0%

STREETSCAPE REQUIREMENT TABLE

STREET	LINEAR FEET	TREES REQUIRED (1 TREE / 40 LF)	TREES PROVIDED	SHRUBS REQUIRED (4 SHRUBS / 1 REQUIRED TREE)	SHRUBS PROVIDED
GILBERT ST.	59 LF	2	2*	8	8

* DUE TO OVERHEAD UTILITY LINES, SHORTER ORNAMENTAL TREES ARE PROPOSED TO MEET STREETSCAPE REQUIREMENTS. SEE TECHNICAL CRITERIA VARIANCE - TCY20-0027

MULTI-FAMILY LANDSCAPE SITE INVENTORY

TOWN OF CASTLE ROCK REGISTERED PROFESSIONAL: JOHN BIRNEY
TOWN OF CASTLE ROCK REGISTRATION #: 15-1129
STATE OF COLORADO LICENSE LANDSCAPE ARCHITECT #: 655
COMPANY: NORRIS DESIGN
ADDRESS: 1101 BANNOCK STREET, DENVER, COLORADO 80204
PHONE: 303-652-1188
EMAIL: JBIRNEY@NORRIS-DESIGN.COM
DATE: 06/02/2020

GROSS SITE AREA	LANDSCAPE AREA IN SQ.FT.	TURFGRASS LIST SPECIES (AREA IN SQ.FT.)	NONLIVING ORNAMENTAL (AREA IN SQ.FT.)	NUMBER OF TREES REQUIRED	NUMBER OF TREES PROVIDED	NUMBER OF SHRUBS REQUIRED	NUMBER OF SHRUBS PROVIDED	SOIL PREP AMOUNT (IN CUBIC YDS PER 1000 SQ.FT.)	SEPARATE IRRIGATION SERVICE CONNECTIONS
40,179 SQ.FT.	PROVIDED: 4,860* REQUIRED: 8,036	FESCUE TURF SEED MIX (571)	3,923**	16	16***	32	70***	4 CU YDS PER 1000 SQ.FT.	YES
PARKING LOT (AREA IN SQ.FT.)	PARKING LOT LANDSCAPE AREA (SQ.FT.)	NUMBER OF PARKING SPACES	NONLIVING ORNAMENTAL (AREA IN SQ.FT.)	NUMBER OF INTERIOR LANDSCAPE ISLANDS	MINIMUM WIDTH OF INTERIOR LANDSCAPE ISLANDS	NUMBER OF TREES REQUIRED	NUMBER OF TREES PROVIDED	NUMBER OF SHRUBS REQUIRED	NUMBER OF SHRUBS PROVIDED
3,635	600	2	600	0	N/A	2	2	4	4***

- NOTES:
1. GROSS AREA MINIMUM LANDSCAPE AREA IS 20%. PARKING AREA MINIMUM LANDSCAPE AREA IS 10%.
2. REQUIRED TREES = 2 TREES PER 1,000 SF OF REQUIRED LANDSCAPE AREA
3. REQUIRED SHRUBS = 4 SHRUBS PER 1,000 SF OF REQUIRED LANDSCAPE AREA
4. PROPOSED PARKING LOT PLANT COUNTS ARE INCLUDED WITHIN THE PROPOSED SITE LANDSCAPE PLANT TOTALS
* PROVIDED LANDSCAPE ONLY INCLUDES IRRIGATED AREAS. COBBLE AND RIPARIAN SEED WILL NOT BE IRRIGATED. DUE TO FLOODPLAIN EXTENTS AND FEATURES NO IRRIGATED LANDSCAPE IS PROPOSED IN THAT AREA.
** SEE TECHNICAL CRITERIA VARIANCE - TCY20-0028
*** CALCULATION INCLUDES ROCK BED MULCH AND COBBLE
**** THREE EXISTING DECIDUOUS TREES ARE INCLUDED
***** NO GRASS EQUIVALENTS ARE INCLUDED

TURF AND SEED MIXES

NATIVE RIPARIAN MIX - NON-IRRIGATED			
SPECIES	% OF MIX	PLS/ACRE	
NEBRASKA SEDGE	6.11	1,000	
CLUSTERED FIELD SEDGE	3.05	0,500	
THICKSPIKE WHEATGRASS	12.22	2,000	
BALTIC RUSH	0.76	0.125	
TORREY'S RUSH	0.76	0.125	
SWITCHGRASS	18.32	3,000	
WESTERN WHEATGRASS	36.64	6,000	
THREESQUARE BULRUSH	12.22	2,000	
SHOWY MILKWEED	6.11	1,000	
CANADA GOLDENROD	0.76	0.125	
BLUE VERVAIN	3.05	0,500	
APPLY AT A RATE OF 18.375 PLS. PER ACRE, DOUBLE FOR BROADCAST			

DRYLAND GRASS SEED MIX (LOW 2- HYDROZONE)			
SPECIES	VARIETY	% OF MIX	PLS/ACRE
BIG BLUESTEM	KAW	10	1.1
YELLOW INDIANGRASS	CHEYENNE	10	1
SWITCHGRASS	BLACKWELL	10	0.4
SIDEOTS GRAMA	VAUGHN	10	0.9
WESTERN WHEATGRASS	ARRIBA	10	1.6
BLUE GRAMA	HACHITA	10	0.3
THICKSPIKE WHEATGRASS	CRITANA	10	1
PRAIRIE SANDREED	GOSHEN	10	0.7
GREEN NEEDLEGRASS	LODORM	10	1
SLENDER WHEATGRASS	PRYOR	5	0.6
STREAMBANK WHEATGRASS	SODAR	5	0.6
APPLY AT A RATE OF 9.2 PLS. PER ACRE DRILLED			

FESCUE TURF SEED MIX (LOW 2- HYDROZONE)			
ARKANSAS VALLEY SEED			
SPECIES	% OF MIX	PLS/ACRE	
SR3000 HARD FESCUE	30	6	
CHEWINGS FESCUE	30	6	
CREeping RED FESCUE	25	5	
SR4000 PERENNIAL RYEGRASS	15	3	
APPLY AT A RATE OF 20 PLS. PER ACRE, DOUBLE FOR BROADCAST			

GREYSTONE VILLAS
1101 S. GILBERT STREET
CASTLE ROCK, COLORADO

OWNER:
ADAMO HOMES

3194 INDUSTRIAL WAY
CASTLE ROCK, CO 80109
303-477-4860

LANDSCAPE
CERTIFICATION:
LEAH & BIRNEY, P.L.L.C. IS AN AFFILIATE OF
NORRIS DESIGN, A LANDSCAPE ARCHITECT FIRM
REGISTERED IN THE STATE OF COLORADO



NOT FOR
CONSTRUCTION

DATE:
3/13/20: SUBMITTAL
8/24/20: 2ND SUBMITTAL
8/5/20: 3RD SUBMITTAL
9/2/20: 4TH SUBMITTAL

SHEET TITLE:
LANDSCAPE
SCHEDULE

6
SHEET 6 OF 11



SITE DEVELOPMENT PLAN
A PORTION OF LOT 1, SELLER'S LANDING
TO BE KNOWN AS: LOT 1, GREYSTONE VILLAS

LOCATED IN THE NORTHWEST ONE-QUARTER OF SECTION 13, TOWNSHIP 8 SOUTH, RANGE 67 WEST OF THE SIXTH PRINCIPAL MERIDIAN,
TOWN OF CASTLE ROCK, COUNTY OF DOUGLAS, STATE OF COLORADO

NORRIS DESIGN
Planning | Landscape Architecture | Rendering
1101 S. Baldwin Street
Denver, Colorado 80204
P: 303.882.1188
www.norris-design.com

- LEGEND:**
- CANOPY TREES [5]
 - EXISTING CANOPY TREES [3]
 - ORNAMENTAL TREES [4]
 - EVERGREEN TREES [6]
 - EVERGREEN SHRUBS [35]
 - DECIDUOUS SHRUBS [43]
 - ORNAMENTAL GRASSES [57]
 - FESCUE SEED MIX (LOW HYDROZONE)
 - LANDSCAPE BED (LOW HYDROZONE)
 - NATIVE SEED (LOW HYDROZONE)
 - RIPARIAN SEED MIX (NON-IRRIGATED)
 - COBBLE
 - STEEL EDGER
 - PROPERTY LINE
 - RETAINING WALL, RE: CIVIL

- NOTES:**
- ALL PROPOSED PLANTS SHALL BE LOW OR VERY LOW WATER USE.
 - ALL EXISTING TREES ARE DECIDUOUS

GREYSTONE VILLAS
1101 S. GILBERT STREET
CASTLE ROCK, COLORADO

OWNER:
ADAMO HOMES
3194 INDUSTRIAL WAY
CASTLE ROCK, CO 80109
303-877-4980
LANDSCAPE CERTIFICATION:
I, the undersigned, being a duly licensed landscape architect under the laws of the State of Colorado, do hereby certify that this is a true and correct copy of the landscape plan as submitted to and approved by the City of Castle Rock, Colorado.

NOT FOR CONSTRUCTION

DATE:
3/13/20 SUBMITTAL
8/24/20 2ND SUBMITTAL
8/5/20 3RD SUBMITTAL
9/2/20 4TH SUBMITTAL

SHEET TITLE:
LANDSCAPE
PLAN
7
SHEET 7 OF 11

CALL UNCC
TWO WORKING DAYS
BEFORE YOU DIG
1-800-922-1987
100-4000 ACTING SUPERVISOR
UTILITY INFORMATION CENTER OF COLORADO
PROJECT NO. 8DP20-0018

Unofficial Copy

SITE DEVELOPMENT PLAN
A PORTION OF LOT 1, SELLER'S LANDING
TO BE KNOWN AS: LOT 1, GREYSTONE VILLAS

LOCATED IN THE NORTHWEST ONE-QUARTER OF SECTION 13, TOWNSHIP 8 SOUTH, RANGE 67 WEST OF THE SIXTH PRINCIPAL MERIDIAN,
TOWN OF CASTLE ROCK, COUNTY OF DOUGLAS, STATE OF COLORADO




NORRIS DESIGN
1101 Bannock Street
Denver, Colorado 80204
P 303.862.1166
www.norris-design.com

GREYSTONE VILLAS
1101 S GILBERT STREET
CASTLE ROCK, COLORADO

OWNER:
ADAMO HOMES
3194 INDUSTRIAL WAY
CASTLE ROCK, CO 80109
303-877-4880
LANDSCAPE CERTIFICATION:
LOCAL WEED: ALL ALL AS NOTIFIED
LOCAL TREES: NONE
LANDSCAPE DESIGNER: JENNIFER JENSEN
LANDSCAPE DESIGNER LICENSE NUMBER: 618


NOT FOR CONSTRUCTION

DATE:
3/13/20 SUBMITTAL
5/24/20 2ND SUBMITTAL
8/5/20 3RD SUBMITTAL
9/2/20 4TH SUBMITTAL
SHEET TITLE:
LANDSCAPE
DETAILS
8
SHEET 8 OF 11




1 TREE PLANTING DETAIL

2 SHRUB PLANTING



- 1 FINISHED GRADE - TOP OF SOD THATCH LAYER AND TOP OF MULCH OR CRUSHER FINES SHALL BE FLUSH WITH TOP OF EDGER
 - 2 TURF THATCH
 - 3 AMENDED SOIL PER SPECIFICATIONS
 - 4 SUBGRADE
 - 5 STEEL EDGER - DRILL (16) 1/2" DIA. HOLES 1" O.C. MIN. AT ALL LOW POINTS OR POORLY DRAINING AREAS IN ORDER TO ENSURE ADEQUATE DRAINAGE
 - 6 EDGER STAKE
- NOTES:
1. THERE SHALL BE NO EXPOSED SHARP / JAGGED EDGES.
2. CONTRACTOR SHALL INSTALL STAKES AS REQUIRED BY THE MANUFACTURER.
3. ALL EDGER TO HAVE ROLLED TOP EDGE.



NOTES:
1. IMAGE IS FOR COLOR REFERENCE ONLY.

4 RETAINING WALL STYLE

3 STEEL EDGER

- 1 VENTURE RETAINING WALL SYSTEMS.
- COLOR: BROWN TO MATCH GREYSTONE TOWNS PROJECT TO THE NORTH.
- MATERIAL: CONCRETE

SCALE: NTS

SCALE: 1" = 1'-0"

Unofficial Copy

 **CALL UNCC**
TWO WORKING DAYS
BEFORE YOU DIG
1-800-922-1987
8-AM-5-PM M-F, MON-FRI
UTILITY INFORMATION CENTER OF COLORADO
PROJECT NO. SDP20-0018

SITE DEVELOPMENT PLAN GREYSTONE VILLAS

LOCATED IN THE NORTHWEST ONE-QUARTER OF SECTION 13, TOWNSHIP 8 SOUTH, RANGE 67 WEST OF THE SIXTH PRINCIPAL
MERIDIAN, TOWN OF CASTLE ROCK, COUNTY OF DOUGLAS, STATE OF COLORADO

COLOR SCHEME*		4	TRIM - DARK BROWN SHEDDER - WILLOW BARK SHEDDER - WILLOW BARK SHEDDER - WILLOW BARK SHEDDER - WILLOW BARK
1	BODY 1 - LIGHT BROWN SHEDDER - WILLOW BARK SHEDDER - WILLOW BARK SHEDDER - WILLOW BARK	5	SHINGLE ROOF - MEDIUM BROWN SHEDDER - WILLOW BARK SHEDDER - WILLOW BARK SHEDDER - WILLOW BARK
2	BODY 2 - DARK BROWN SHEDDER - WILLOW BARK SHEDDER - WILLOW BARK SHEDDER - WILLOW BARK	6	METAL ROOF - LIGHT BROWN SHEDDER - WILLOW BARK SHEDDER - WILLOW BARK SHEDDER - WILLOW BARK
3	BODY 3 - DARK GRAY SHEDDER - WILLOW BARK SHEDDER - WILLOW BARK SHEDDER - WILLOW BARK	7	STONE VENEER - MEDIUM BROWN SHEDDER - WILLOW BARK SHEDDER - WILLOW BARK SHEDDER - WILLOW BARK

*ALL COLOR AND MANUFACTURER INFO IS PROVIDED AS A REFERENCE FOR GENERAL INFORMATION AND IS SUBJECT TO CHANGE.

Godden|Sudik
ARCHITECTS
353.455.4437
www.goddensudik.com
5975 S. Quebec Street
Suite 250
Centennial, CO 80111

GREYSTONE VILLAS
1101 S. GILBERT STREET
CASTLE ROCK, COLORADO

OWNER:
ADAMO HOMES
3184 INDUSTRIAL WAY
CASTLE ROCK, CO 80109
303-877-4999



NOT FOR
CONSTRUCTION

DATE:
03/13/20 SUBMITTAL
05/24/20 SUBMITTAL
08/05/20 SUBMITTAL
09/02/20 SUBMITTAL

SHEET TITLE:
ELEVATIONS

9
SHEET 9 OF 11

CALL UNCC
BEFORE YOU DIG
1-800-922-1987
SOUTH NORTHERN CENTER OF COLORADO
PROJECT NO. SDP20-0015



CHECKED BY:
DRAWN BY:



SITE DEVELOPMENT PLAN
A PORTION OF LOT 1, SELLER'S LANDING
TO BE KNOWN AS : LOT 1, GREYSTONE VILLAS
LOCATED IN THE NORTHWEST ONE-QUARTER OF SECTION 13, TOWNSHIP 8 SOUTH, RANGE 67 WEST OF THE SIXTH PRINCIPAL MERIDIAN,
TOWN OF CASTLE ROCK, COUNTY OF DOUGLAS, STATE OF COLORADO

NORRIS DESIGN
1101 Barnack Street
Denver, Colorado 80204
P 303.862.1195
www.norris-design.com

GREYSTONE VILLAS
1101 S. GILBERT STREET
CASTLE ROCK, COLORADO

OWNER:
ADAMO HOMES
3194 INDUSTRIAL WAY
CASTLE ROCK, CO 80109
303-877-4980

NOT FOR
CONSTRUCTION

DATE:
3/13/20 SUBMITTAL
6/24/20 2ND SUBMITTAL
8/5/20 3RD SUBMITTAL
9/2/20 4TH SUBMITTAL

SHEET TITLE:
LIGHTING PLAN

10
SHEET 10 OF 11

CHECKED BY: MCD
DATE: 1/1/21

ENTRY EXTERIOR SCONCE
7'-8" AFF. TYP. PHOTOSENSOR CONTROLLED

GARAGE EXTERIOR
SCONCE
7'-0" AFF. TYP.
PHOTOSENSOR
CONTROLLED

GENERAL LIGHTING PLAN STANDARD NOTES:

1. LIGHTING OBJECTIVES:
 - a. REAR ELEVATION (GARAGE) LIGHTING IS INTENDED FOR SAFETY LIGHTING AND FOR PROVIDING LIGHTING TO THE RESIDENTS ENTERING AND EXITING THE GARAGES.
 - b. FRONT ELEVATION (ENTRY) LIGHTING IS INTENDED FOR SAFETY LIGHTING AND FOR PROVIDING LIGHTING TO THE RESIDENTS ENTERING AND EXITING THE UNIT ENTRY DOORS.
2. HOURS OF OPERATION:
 - a. ALL BUILDING LIGHTS AT GROUND FLOOR WILL BE PHOTOSENSOR OPERATED TO LIGHT AT DUSK AND TURN OFF AT DAWN. RESIDENTS WILL NOT HAVE CONTROL OF GROUND FLOOR LIGHTING.
3. MITIGATION TO NEIGHBORS/ADJACENT PROPERTIES:
 - a. ALL LIGHTS WILL NOT THROW LIGHT ONTO ADJACENT PROPERTIES.
4. PROHIBITED LIGHTING WILL NOT BE UTILIZED ON THIS PROJECT.

LUMINARY SUMMARY TABLE

TYPE	NUMBER	IESNA CUTOFF CLASSIFICATION	LUMENS	HEIGHT ABOVE GRADE
8547901DEN-12: SMALL ONE LIGHT OUTDOOR WALL LANTERN (WALL MOUNT UNIT ENTRY)	5	NONCUTOFF	800	7'-8"
8547901DEN-12: SMALL ONE LIGHT OUTDOOR WALL LANTERN (WALL MOUNT GARAGE ENTRY)	6			7



Unofficial Copy

